

ENGAGE

Chairs & Stools



ENA-2529-4S

29"D X 25"W X 33.25"H, SEAT HEIGHT 18"

Chairs & Stools



ENA-2529-4D



ENAW-3035-4D



ENATR-2529-4C



EN-3029-4D



ENR-5129-4D



ENA-2529-RB

ENGAGE

- Engineered solid alder hardwood frames.
- High-resilience long lasting polyfoam.
- Arms or armless chair or loveseat.
- *Several models available to create a multitude of configurations.
- Powder coated steel post legs, steel Duo legs, wood, caster or Rocker Base available.
- Steel legs are equipped with leveling glides.

To Order, Choose Finish Selections & Options

Seat Cushions: Select fabric grade and pattern.

Legs/Rocker Base: Select leg style and wood veneer/Spray-On or powder coat finish, as applicable to chosen leg/base. **Note:** Wood and Rocker Base receive wood veneer while post leg and Duo leg receive powder coat. -RB only available on EN-3029 & ENA-2529

Table Surface: Choose from our selection of high pressure laminates and PVC edges, if applicable.

Tablet Arm: Choose from our selection of powder coats, if applicable.

See **MTContract's** finish choices at
<https://www.mtcontract.com/resources/finishes>
 View our fabric choices at
<https://www.mtcontract.com/resources/fabrics>

General Specifications

Seat: Engage seat is constructed with 4/4 Alder hardwood and is glued and stapled. 4/4 hardwood corner blocks are glued and stapled to the inner seat frame. The seat is then covered with 5" of foam with 1.8 density and a 36 ILD rating.

Back: The back is constructed with 4/4 Alder hardwood and is glued and stapled. 4/4 hardwood corner blocks are glued and stapled to the inner back frame. The back is then covered with 2.5" of foam with 1.8 density and a 24 ILD rating. The back is secured to the seat with T-nuts and 4 bolts.

Arms: are constructed with 4/4, 5/4 and 6/4 Alder hardwood and is glued and stapled. 4/4 hardwood corner blocks are glued and stapled to the inner frame. The arms are then prepared with emelin and covered with 1/2" of foam. Arms are attached to the seat and back frame with T-nuts and 3 bolts. Note: Arms are identified as "right" or "left" from the perspective of one who is seated in the seat.

Tablet Arm: Tablet arm work surface is 3/4" thick. Top of work surface is .050 highpressure laminate with .030 phenolic backer. Work surface is mounted to a powder coated steel tube which is fixed to the seat frame. Edgebanding is 3mm PVC.

Metal Legs: Steel post leg is a 16 GA 1-1/2" round 3-1/2"H tube style leg weldment with a 3-1/2" x 3-7/8" steel mounting plate and a 1-7/8" black leveling glide. Customer specifies powder coat color.

Metal Duo Legs: Legs are fabricated from 5/16" plate steel and include a curved profile with a square mounting plate. The bottom of each leg is fitted with a threaded weld nut and a 1-7/8" black levelling glide.

Casters: Casters are Softec, twin-wheel, 75mm diameter and non-locking. All models that include casters also receive a lift handle mounted to the rear of the seat back.

Rocker Base: Two 5/4 Hardwood rails. Thermally Fused Laminate board make up the rocking base. Base is attached to the Engage seat using screws.

Wood Post Legs: Wood post 3-1/2" x 3-1/2" with a 45° chamfer bottom edge. Posts are attached via 5/16"-18 bolt, washer and propeller nut. Can be finished in any desired wood stain.

Connectivity Options: Engage Seating can be fitted with connectivity accessories on the right or left side of the seat. Use the suffix -ER to indicate connectivity location to be the right side or use -EL to indicate connectivity location to be the left side. Note: "Right" and "left" are determined from the perspective of one who is seated in the seat.

ENGAGE OPTIONS




ENGAGE SEAT STANDARD SIZES

MODEL	ARMS	DEPTH"	WIDTH"	SEAT HEIGHT"
				OVERALL HEIGHT 33.25"
EN-3029-	R & L	29	30	18
ENL-2829-	LEFT	29	28	18
ENR-2829-	RIGHT	29	28	18
ENA-2529-	NONE	29	25	18
ENATL-2529-	TABLET ARM L	29	25	18
ENATR-2529-	TABLET ARM R	29	25	18
ENAW-3035-	NONE	35	30	18


ENGAGE DOUBLE SEAT STANDARD SIZES

MODEL	ARMS	DEPTH"	WIDTH"	SEAT HEIGHT"
				OVERALL HEIGHT 33.25"
EN-5329-	R & L	29	53	18
ENL-5129-	LEFT	29	51	18
ENR-5129-	RIGHT	29	51	18
ENA-4829-	NONE	29	48	18


LEG & BASE OPTIONS



Metal Leg



Metal Duo Leg



Wood Post Leg



75mm Caster



Rocker Base

MODEL NUMBER SUFFIXES FOR LEGS, CASTERS & ROCKER BASE (models with casters receive lift handle)

- 4D – metal Duo legs
- 2D – 2 Duo legs and 2 casters
- 4S – 4 metal legs
- 2S – 2 metal legs and 2 casters
- 4W – 4 wood legs
- 2W – 2 wood legs and 2 casters
- 4C – 4 casters
- RB – Rocker Base

Note: Engage Rocker Base is available only on EN-3029 & ENA-2529 Engage units.

CONNECTIVITY



DUET Power Unit
ADUF-1P2U-72-W

DUET

- For use in upholstered furniture
- 1 Power / 1 Dual USB
- 2 amps each USB charging port
- UL Listed
- Face mount shown
- White, silver and black face plate available
- 72" and 120" cords available

! Connectivity panels can only be mounted on the side surfaces of Engage seating.

MODEL NUMBER SUFFIXES FOR POWER/CONNECTIVITY (after legs) (no designation) - no power/connectivity panel

- EL - Power/connectivity panel on left side
- ER - power/connectivity panel on right side

HANDLE OPTIONS



Lift Handle



892 Industrial Park Drive
Shelby, MI 49455
P: 231.861.2194 | F: 231.861.6678
www.mtcontract.com
sales@mediatechnologies.com

cs-engage-221025

PURE MICHIGAN®