



Orbit

café • commons • esports


 mt contract



Esports



Commons



Café

ORBIT

Round



Orbit Round 29"H

O22-C0036-29
O27-C0042-29
O27-C0048-29
O27-C0054-29
O32-C0060-29

Dimensions

36Dia. x 29"H, 22" base
42"Dia x 29"H, 27" base
48"Dia x 29"H, 27" base
54"Dia x 29"H, 27" base
60"Dia x 29"H, 32" base



Orbit Round 36"H

O22-C0036-36
O27-C0042-36
O27-C0048-36
O27-C0054-36
O32-C0060-36

Dimensions

36Dia. x 36"H, 22" base
42"Dia x 36"H, 27" base
48"Dia x 36"H, 27" base
54"Dia x 36"H, 27" base
60"Dia x 36"H, 32" base



Orbit Round 42"H

O22-C0036-42
O27-C0042-42
O27-C0048-42
O27-C0054-42
O32-C0060-42

Dimensions

36Dia. x 42"H, 22" base
42"Dia x 42"H, 27" base
48"Dia x 42"H, 27" base
54"Dia x 42"H, 27" base
60"Dia x 42"H, 32" base

Square



Orbit Square 29"H

O22-C3636-29
O27-C4242-29
O27-C4848-29
O27-C5454-29
O32-C6060-29

Dimensions

36" x 36" x 29"H, 22" base
42" x 42" x 29"H, 27" base
48" x 48" x 29"H, 27" base
54" x 54" x 29"H, 27" base
60" x 60" x 29"H, 32" base



Orbit Square 36"H

O22-C3636-36
O27-C4242-36
O27-C4848-36
O27-C5454-36
O32-C6060-36

Dimensions

36" x 36" x 36"H, 22" base
42" x 42" x 36"H, 27" base
48" x 48" x 36"H, 27" base
54" x 54" x 36"H, 27" base
60" x 60" x 36"H, 32" base



Orbit Square 42"H

O22-C3636-42
O27-C4242-42
O27-C4848-42
O27-C5454-42
O32-C6060-42

Dimensions

36" x 36" x 42"H, 22" base
42" x 42" x 42"H, 27" base
48" x 48" x 42"H, 27" base
54" x 54" x 42"H, 27" base
60" x 60" x 42"H, 32" base

ORBIT

Lightbulb



Orbit Lightbulb 29"H

O22-C36/4872B-29
O22-C36/4884B-29
O22-C26/4896B-29

Dimensions

48"Dia x 72"L x 29" – (1) 22" & (1) 27"Dia bases
48"Dia x 84"L x 29" – (1) 22" & (1) 27"Dia bases
48"Dia x 96"L x 29" – (1) 22" & (1) 27"Dia bases



Orbit Lightbulb 36"H

O22-C36/4872B-36
O22-C36/4884B-36
O22-C26/4896B-36

Dimensions

48"Dia x 72"L x 36"H – (1) 22" & (1) 27"Dia bases
48"Dia x 84"L x 36"H – (1) 22" & (1) 27"Dia bases
48"Dia x 96"L x 36"H – (1) 22" & (1) 27"Dia bases



Orbit Lightbulb 42"H

O22-C36/4872B-42
O22-C36/4884B-42
O22-C26/4896B-42

Dimensions

48"Dia x 72"L x 42"H – (1) 22" & (1) 27"Dia bases
48"Dia x 84"L x 42"H – (1) 22" & (1) 27"Dia bases
48"Dia x 96"L x 42"H – (1) 22" & (1) 27"Dia bases

"D" Shape



Orbit "D" Shape 29"H

O22-C3660D-29
O22-C3672D-29
O22-C3684D-29
O27-C4260D-29
O27-C4272D-29
O27-C4284D-29
O27-C4860D-29
O27-C4872D-29
O27-C4884D-29

Dimensions

36"D x 60"/72"/84"L x 29"H, (2) 22" bases
42"D x 60"/72"/84"L x 29"H, (2) 27" bases
48"D x 60" 72"/84"L x 29"H, (2) 27" bases



Orbit "D" Shape 36"H

O22-C3660D-36
O22-C3672D-36
O22-C3684D-36
O27-C4260D-36
O27-C4272D-36
O27-C4284D-36
O27-C4860D-36
O27-C4872D-36
O27-C4884D-36

Dimensions

36"D x 60"/72"/84"L x 36"H, (2) 22" bases
42"D x 60"/72"/84"L x 36"H, (2) 22" bases
48"D x 60"/72"/84"L x 36"H, (2) 22" bases



Orbit "D" Shape 42"H

O22-C3660D-42
O22-C3672D-42
O22-C3684D-42
O27-C4260D-42
O27-C4272D-42
O27-C4284D-42
O27-C4860D-42
O27-C4872D-42
O27-C4884D-42

Dimensions

36"D x 60"/72"/84"L x 42"H, (2) 22" bases
42"D x 60"/72"/84"L x 42"H, (2) 22" bases
48"D x 60"/72"/84"L x 42"H, (2) 22" bases

ORBIT

Quarter Round



Orbit Quarter Round 29"H

O27-C4242BD-36

O27-C4848BD-29

Dimensions

42"Dia x 42" Sides x 29"H, 27" base

48"Dia x 48" Sides x 29"H, 27" base



Orbit Quarter Round 36"H

O27-C4242BD-36

O27-C4848BD-36

Dimensions

42"Dia x 42" Sides x 36"H, 27" base

48"Dia x 48" Sides x 36"H, 27" base



Orbit Quarter Round 42"H

O27-C4242BD-42

O27-C4848BD-42

Dimensions

42"Dia x 42" Sides x 42"H, 27" base

48"Dia x 48" Sides x 42"H, 27" base

Hex



Orbit Hex 29"H

O27-C4242HXR-29

O27-C4848HXR-29

O32-C5454HXR-29

O32-C6060HXR-29

Dimensions

42"D x 42"W x 29"H, 27" base

48"D x 48"W x 29"H, 27" base

54"D x 54"W x 29"H, 32" base

60"D x 60"W x 29"H, 32" base



Orbit Hex 36"H

O27-C4242HXR-36

O27-C4848HXR-36

O32-C5454HXR-36

O32-C6060HXR-36

Dimensions

42"D x 42"W x 36"H, 27" base

48"D x 48"W x 36"H, 27" base

54"D x 54"W x 36"H, 32" base

60"D x 60"W x 36"H, 32" base



Orbit Hex 42"H

O27-C4242HXR-42

O27-C4848HXR-42

O32-C5454HXR-42

O32-C6060HXR-42

Dimensions

42"D x 42"W x 42"H, 27" base

48"D x 48"W x 42"H, 27" base

54"D x 54"W x 42"H, 32" base

60"D x 60"W x 42"H, 32" base

ORBIT

Pick



Orbit Pick 29"H
O27-C4042P-29
Dimensions
40"D x 42"W x 29"H, 27" base



Orbit Pick 36"H
O27-C4042P-36
Dimensions
40"D x 42"W x 36"H, 27" base



Orbit Pick 42"H
O27-C4042P-42
Dimensions
40"D x 42"W x 42"H, 27" base



Orbit Rectangle 29"H
O17-C2448-29, O17-C2460-29, O17-C2472-29
O22-C3048-36, O22-C3060-36, O22-C3072-36
O22-C3660-29, O22-C3672-29, O22-C3684-29, O22-C3696-29
O27-C4860-36, O27-C4872-36, O27-C4884-36, O27-C4896-36
O32-C6072-29, O32-C6084-29, O32-C6096-29
Dimensions
24"D x 48"/60"/72"W x 29"H, (2) 17" bases
30"D x 48"/60"/72"W x 29"H, (2) 22" bases
36"D x 60"/72"/84"/96"W x 29"H, (2) 22" bases
48"D x 60"/72"/84"/96"W x 29"H, (2) 27" bases
60"D x 72"/84"/96"W x 29"H, (2) 32" bases



Orbit Rectangle 29"H
O22-C36120-29 & O22-C36144-29
O27-C48120-29 & O27-C48144-29
O32-C60120-29 & O32-C60144-29
Dimensions
36"D x 120"/144"W x 29"H, (3) 22" bases
48"D x 120"/144"W x 29"H, (3) 27" bases
60"D x 120"W x 29"H, (3) 32" bases

ORBIT

Rectangle



Orbit Rectangle 36"H

O17-C2448-36, O17-C2460-36, O17-C2472-36
O22-C3048-36, O22-C3060-36, O22-C3072-36
O22-C3660-36, O22-C3672-36, O22-C3684-36, O22-C3696-36
O27-C4860-36, O27-C4872-36, O27-C4884-36, O27-C4896-36
O32-C6072-36, O32-C6084-36, O32-C6096-36

Dimensions

24"D X 48"/60"/72"W X 36"H, (2) 17" bases
30"D x 48"/60"/72"W x 36"H, (2) 22" bases
36"D x 60"/72"/84"/96"W x 36"H, (2) 22" bases
48"D x 60"/72"/84"/96"W x 36"H, (2) 27" bases
60"D x 72"/84"/96"W x 36"H, (2) 32" bases



Orbit Rectangle 36"H

O22-C36120-36 & O22-C36144-36
O27-C48120-36 & O27-C48144-36
O32-C60120-36 & O32-C60144-36

Dimensions

36"D x 120"/144"W x 36"H, (3) 22" bases
48"D x 120"/144"W x 36"H, (3) 27" bases
60"D x 120"W x 36"H, (3) 32" bases



Orbit Rectangle 42"H

O17-C2448-42, O17-C2460-42, O17-C2472-42
O22-C3048-42, O22-C3060-42, O22-C3072-42
O22-C3660-42, O22-C3672-42, O22-C3684-42, O22-C3696-42
O27-C4860-42, O27-C4872-42, O27-C4884-42, O27-C4896-42
O32-C6072-42, O32-C6084-42, O32-C6096-42

Dimensions

24"D X 48"/60"/72"W X 42"H, (2) 17" bases
30"D x 48"/60"/72"W x 42"H, (2) 22" bases
36"D x 60"/72"/84"/96"W x 42"H, (2) 22" bases
48"D x 60"/72"/84"/96"W x 42"H, (2) 27" bases
60"D x 72"/84"/96"W x 42"H, (2) 32" bases



Orbit Rectangle 42"H

O22-C36120-42 & O22-C36144-42
O27-C48120-42 & O27-C48144-42
O32-C60120-42 & O32-C60144-42

Dimensions

36"D x 120"/144"W x 42"H, (3) 22" bases
48"D x 120"/144"W x 42"H, (3) 27" bases
60"D x 120"/144"W x 42"H, (3) 32" Orbit bases

ORBIT

Racetrack



Orbit Racetrack 29"H

O22-CRT3672-29, O22-CRT3684-29, O22-CRT3696-29
O27-CRT4860-29, O27-CRT4872-29, O27-CRT4884-29, O27-CRT4896-29
O32-CRT6072-29, O32-CRT6084-29, O32-CRT6096-29

Dimensions

36"W x 72"/84"/96"L x 29"H, (2) 22" bases
48"W x 60"/72"/84"/96"L x 29"H, (2) 22" bases
60"W x 72"/84"/96"L x 29"H, (2) 32" bases



Orbit Racetrack 29"H

O22-CRT36120-29
O27-CRT48120-29 & O27-CRT48144-29
O32-CRT60120-29 & O32-CRT60144-29

Dimensions

36"W x 120"L x 29"H, (3) 22" bases
48"W x 120"/144"L x 29"H, (3) 27" bases
60"W x 120"/144"L x 29"H, (3) 32" bases



Orbit Racetrack 36"H

O22-CRT3672-36, O22, CRT3684-36, O22-CRT3696-36
O27-CRT4860-36, O27-CRT4872-36, O27-CRT4884-36, O27-CRT4896-36
O32-CRT6072-36, O32-CRT6084-36, O32-CRT6096-36

Dimensions

36"W x 72"/84"/96"L x 36"H, (2) 22" bases
48"W x 60"/72"/84"/96"L x 36"H, (2) 22" bases
60"W x 72"/84"/96"L x 36"H, (2) 32" bases



Orbit Racetrack 36"H

O22-CRT36120-36
O27-CRT48120-36, O27-CRT48144-36
O32-CRT60120-36 & O32-CRT60144-36

Dimensions

36"W x 120"L x 36"H, (3) 22" bases
48"W x 120"/144"L x 36"H, (3) 27" bases
60"W x 120"/144"L x 36"H, (3) 32" bases

ORBIT

Racetrack



Orbit Racetrack 42"H

O22-CRT3672-42, O22-CRT3684-42, O22-CRT3696-42
O27-CRT4860-42, O27-CRT4872-42, O27-CRT4884-42, O27-CRT4896-42
O32-CRT6072-42, O32-CRT6084-42, O32-CRT6096-42

Dimensions

36"W x 72"/84"/96"L x 42"H, (2) 22" bases
48"W x 60"/72"/84"/96"L x 42"H, (2) 22" bases
60"W x 72"/84"/96"L x 42"H, (2) 32" bases



Orbit Racetrack 42"H

O22-CRT36120-42
O27-CRT48120-42 & O27-CRT48144-42
O32-CRT60120-42 & O32-CRT60144-42

Dimensions

36"W x 120"L x 42"H, (3) 22" bases
48"W x 120"/144"L x 42"H, (3) 27" bases
60"W x 120"/144"L x 42"H, (3) 32" bases

Boat



Orbit Boat 29"H

O22-CBT30/3672-29, O22-CBT30/3684-29, O22-CBT30/3696-29
O27-CBT36/4860-29, O27-CBT36/4872-29, O27-CBT36/4884-29, O27-CBT36/4896-29
O32-CBT48/6072-29, O32-CBT48/6084-29, O32-CBT48/6096-29

Dimensions

36"W x 72"/84"/96"L x 29"H, (2) 22" bases
48"W x 60"/72"/84"/96"L x 29"H, (2) 22" bases
60"W x 72"/84"/96"L x 29"H, (2) 22" bases



Orbit Boat 29"H

O22-CBT30/36120-29
O27-CBT36/48120-29, O27-CBT36/48144-29
O32-CBT48/60120-29, O32-CBT48/60144-29

Dimensions

36"W x 120"L x 29"H, (3) 22" bases
48"W x 120"/144"L x 29"H, (3) 27" bases
60"W x 120"/144"L x 29"H, (3) 32" bases

ORBIT

Boat



Orbit Boat 36"H

O22-CBT30/3672-36, O22-CBT30/3684-36, O22-CBT30/3696-36
O27-CBT36/4860-36, O27-CBT36/4872-36, O27-CBT36/4884-36, O27-CBT36/4896-36
O32-CBT48/6072-36, O32-CBT48/6084-36, O32-CBT48/6096-36

Dimensions

36"W x 72"/84"/96"L x 36"H, (2) 22" bases
48"W x 60"/72"/84"/96"L x 36"H, (2) 22" bases
60"W x 72"/84"/96"L x 36"H, (2) 22" bases



Orbit Boat 36"H

O22-CBT30/36120-36
O27-CBT36/48120-36, O27-CBT36/48144-36
O32-CBT48/60120-36, O32-CBT48/60144-36

Dimensions

36"W x 120"L x 36"H, (3) 22" bases
48"W x 120"/144"L x 36"H, (3) 27" bases
60"W x 120"/144"L x 36"H, (3) 32" bases



Orbit Boat 42"H

O22-CBT30/3672-42, O22-CBT30/3684-42, O22-CBT30/3696-42
O27-CBT36/4860-42, O27-CBT36/4872-42, O27-CBT36/4884-42, O27-CBT36/4896-42
O32-CBT48/6072-42, O32-CBT48/6084-42, O32-CBT48/6096-42

Dimensions

36"W x 72"/84"/96"L x 42"H, (2) 22" bases
48"W x 60"/72"/84"/96"L x 42"H, (2) 22" bases
60"W x 72"/84"/96"L x 42"H, (2) 22" bases



Orbit Boat 42"H

O22-CBT30/36120-42
O27-CBT36/48120-42, O27-CBT36/48144-42
O32-CBT48/60120-42, O32-CBT48/60144-42

Dimensions

36"W x 120"L x 42"H, (3) 22" bases
48"W x 120"/144"L x 42"H, (3) 27" bases
60"W x 120"/144"L x 42"H, (3) 32" bases

ORBIT OCCASIONAL

Square Occasional



Orbit Square Occasional 16"H

O17-C2424-16

O17-C3030-16

Dimensions

24"W x 24"D x 16"H

30"W x 30"D x 16"H



Orbit Square Occasional with Radiused Corners 16"H

O17-C2424R-16

O17-C3030R-16

Dimensions

24"W x 24"D x 16"H

30"W x 30"D x 16"H

Round Occasional



Orbit Round Occasional 16"H

O17-C0030-16

Dimensions


30" Diameter x 16"H

ORBIT

Orbit Quick Guide

	Orbit
Worksurface Heights	
16" (Occasional Table)	•
29"	•
36"	•
42"	•
Worksurface Shapes	
Round	•
Square	•
Lightbulb	•
"D" Shape	•
Quarter Round	•
Hex	•
Pick	•
Rectangle	•
Racetrack	•
Boat	•
Features	
1-3 Steel Columns with Round Steel Disc Base(s)	•
Edges	
3mm PVC	•
3mm Wood	•
8mm Wood	•
5/8" Wood Bullnose	•
Finishes	
High Pressure Laminate	•
PVC, if applicable	•
Wood Edge, if applicable	•
Powder Coat	•
Options	
Flip Top Mechanism	•

STANDARD TOP SHAPES



Round



Square



Hexagon



Quarter Round




Pick



Rectangle




Racetrack



D



Light Bulb





Boat

PRODUCT PAIRINGS & KITS

Deuce Lounge & Café Corner Group

- Ⓐ (2) Deuce Lounge – DEU-36
- Ⓑ (2) Deuce Café – DEU-36-CC
- Ⓒ (1) DUC-2424-CR90-14 90-degree Wedge Table
- Ⓓ (2) Push Pop Stools – PP-25-FR
- Ⓔ (1) Orbit Quarter Round – 032-C4848BD-29
- Ⓕ (2) Full Time Ottomans – (2) FTD-20-MOB



Kit Footprint as Shown:
8'4"D x 10"10"W



Valour Kit

- Ⓐ (2) Valour Curve Tables – VLR-C2472-60CRV-42
- Ⓑ (4) Hannah Stools – HAN006
- Ⓒ (1) Orbit D-Shape Table – O27-C4872D-29
- Ⓓ (2) Full Time Halfbacks – FTCBV2-60-5C
- Ⓔ (2) Full Time Round Ottoman - FTD-20-5S

Kit Footprint as Shown:
11' x 11'



Features & Benefits:



- Low profile powder coated steel disc base is fitted with non-marring mini polyurethane glides, sits flat on the floor and provides the stability and mobility required for a free-standing table.
**Note: 32" disc base does not include levelling glides. Levelling glides for this base are available with an upcharge.*
- Occasional Tables available in square and round work surface options.
- Square, Round, Lightbulb, "D" Shape, Quarter Round, Hex, Pick, Rectangular, Racetrack and Boat tops with high-pressure laminate work surface and several edge profiles available.
- Tables available in 16", 29", 36" and 42" heights.

To Order Specify

High Pressure Laminate: Choose from our selection of high pressure laminates on our website. View our Finish & Color Guide for Color Match suggestions at <https://www.mtcontract.com/resources/downloads/guides>


PVC: Choose from our selection of PVC edgebanding.

Group I Powder Coats: 809 Silver, 138 White, 109 Cream, 304 Dove Grey, 208 Putty, 407 Stone, 903 Black Wrinkle, 912 Black

Group II Powder Coats (up-charge): 808 Nickel, 405 Charcoal, 5003 Navy, MIR Mirrored Chrome, 621 Goldfinch, 622 Parakeet, 613 Blue Heron, 627 Blue Wren, 629 Hummingbird, 618 Purple Martin, 624 Cardinal, 623 Oriole

See mediatechnologie's finish choices at <https://www.mtcontract.com/resources/finishes>

Model Number Breakdown:



Edge Types:



Corners:



Electrical Options



Sparky



Port



Jolt



Ensemble

Note: The Sparky, Port and Jolt are designed to fit in the existing 80mm grommet holes in the work surface. Ensemble is suggested for use with rectangular Orbit models.

Other Options



Flip Top